	Application No.	[ Amplicant(a)
	Application No.	Applicant(s)
Notice of Allowability	10/519,012	GUEDJ ET AL.
Notice of Allowability	Examiner	Art Unit
	Que T. Le	2878
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included not will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-38</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority ur</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> </ul>	be been received. be been received in Application No	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be subm	IENT of this application. itted. Note the attached EXAMINER	'S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which give	es reason(s) why the oath or declara	ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") mus		
(a) including changes required by the Notice of Draftspers	<del>-</del>	·948) attached
1) hereto or 2) to Paper No./Mail Date		Office action of
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E	Detect Application
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ol> <li>5. ☐ Notice of Informal F</li> <li>6. ☐ Interview Summary</li> </ol>	• •
3. ⊠ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendi	te ment/Comment
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit	,	ent of Reasons for Allowance
of Biological Material	9.	<u>l</u> a.
		QUE TAN LE PRIMARY EXAMINER

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06) An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The <u>title of the invention</u> has been changed to: "Imager having photosensitive material contains polymorphous silicon".

The following is an examiner's statement of reasons for allowance: The prior art fails to teach an assembly of sensors formed as an imager, among other features, comprising a detection brick with a detection zone including a photosensitive material which contains polymorphous silicon.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

I) Hatayama et al 4,926,052 disclose a solid state detecting system having a multi-layers structure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Que T. Le whose telephone number is (571) 272-2438.

Application/Control Number: 10/519,012 Page 3

Art Unit: 2878

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Epps Georgia, can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Que T. Le

Primary Examiner Art Unit 2878